5

10

## CLAIMS

A two-way warp knitted fabric which is formed by plaited knitting a polytrimethylene terephthalate yarn in the front and an elastic yarn in the back and which has a knitted fabric density ratio from 1.55 to 2.35 calculated from the following formula:

knitted fabric density ratio = [(number of courses)/2.54 cm]/[(number of wales)/2.54 cm]

- 2. The two-way warp knitted fabric according to claim 1, wherein the elastic yarn in the back forms a knit loop.
- 3. The two-way warp knitted fabric according to claim 1, wherein the warp knitted texture is a half tricot stitch.